



Prevaccination Screening for 3rd Dose COVID-19 Booster Vaccines

Name: _____

Date of Birth: _____

- Have you received COVID-19 vaccines:
 - Pfizer
 - Moderna
 - Janssen (Johnson & Johnson) – **Not eligible for mRNA booster vaccine**
- 12 years of age or older
- 28 days after the completion of the primary mRNA COVID-19 vaccine series
- No active infection with SARS-CoV-2 virus **OR** 21 days after complete resolution of COVID-19 symptoms

Please check all that apply:

- Active or recent treatment (in the past 6 months) for solid tumor and hematologic malignancies
- Recipient of solid organ transplants on maintenance immunosuppressive therapy
- At least three (3) months after CAR-T cell or hematopoietic stem cell transplant
- Severe primary immunodeficiency (e.g., chronic granulomatous disease, selective IgA deficiency; DiGeorge syndrome, etc.)
- Advanced or untreated HIV
- Active treatment with high dose corticosteroids (>20 mg/day)
- Active treatment with alkylating agents (e.g., cyclophosphamide, streptozocin, etc.)
- Active treatment with antimetabolites (e.g., methotrexate, hydroxyurea, etc.)
- Active treatment with tumor necrosis factor blockers (e.g., Enbrel, Humira, etc.)
- Active use of immunomodulatory agents (e.g., thalidomide, etc.)
- Active use of interleukin inhibitors (e.g., tocilizumab, etc.)
- Chronic renal disease
- Asplenia

At this time, only qualified recipients of Pfizer-BioNTech and Moderna vaccines are eligible for a booster. If possible, booster dose must match the primary series.

If not feasible, recipients of Pfizer vaccine can receive Moderna as a booster and vice versa.

Patient Signature: _____

Date: _____

Parent/Guardian Signature (if patient < 18 years of age): _____